

SECURITY LIGHTS




SEC01-02

- Surface mounted LED PAR30 security Lights with / without sensor
- Adjustable: up/down & side to side
- Input voltage: 240V AC
- Housing: PBT + PC
- E27 lamp holder
- Max.150W halogen PAR30 globes
- 10W LED PAR30 globe (Part No. PAR3001) included

Sensor Spec:

- Detection range: 180°
- Detection distance: 5-12m
- Detection motion speed: 0.6-1.5m/s
- Rated load: 1200W (HAL) 300W (CFL & LED)
- Time delay: Min: 10s±3s; Max: 10m±3min
- Ambient light: 3-2000 lux (adj)
- Ambient temperature: -10 to 40°C
- Installation height: 1.8-2.5m
- Manual override via light switch



SEC01



SEC01S



SEC02



SEC02S

Part No.	Description	PAR3001 INFO						Carton QTY
		Kelvin	Lumens	Watt	CRI	BEAM	LEDs	
SEC01	SECURITY PAR30 ES S/ADJ BLK without sensor	5000K	800lm	10W	80	40°	10pcs 2835	1/40
SEC01S	SECURITY PAR30 ES S/ADJ BLK with sensor	5000K	800lm	10W	80	40°	10pcs 2835	1/32
SEC02	SECURITY PAR30 X 2 ES D/ADJ BLK without sensor	5000K	2x800lm	2x10W	80	40°	10pcs 2835	1/24
SEC02S	SECURITY PAR30 X 2 ES D/ADJ BLK with sensor	5000K	2x800lm	2x10W	80	40°	10pcs 2835	1/24

LED Globes Other Spec (Part No. PAR3001):

- LED chips: 10pcs SMD2835
- Power factor: ≥0.5
- Ambient temperature: -10 to 40°C
- Suitable for 2-way switching
- Suitable for use with PIR sensor



SEC03-04

- Surface mounted LED security Lights with sensor
- Adjustable: head tilts down 90° and swivels lengthwise 360°
- Input voltage range: 220-240V AC 50/60Hz
- Housing & diffuser: PC
- Mounting bracket: PC
- Heatsink: PC
- LED chips: 28pcs SMD2835
- CRI: >80
- Power factor: >0.9
- Ambient temperature: -20 to 40°C
- Suitable for 2-way switching

Sensor Spec:


- Sensor type: PIR
- Installation height: 1.8-2.5m
- Detection angle: 140°
- Motion detection distance: 9m Max (<24°C)
- Motion detection speed: 10sec±3sec to 5min±1min (Adjustable)
- Ambient light: <3-2000Lux
- UV resistant
- No manual override



SEC03S



SEC04S



Part No.	Description	Kelvin	Lumens	Watt	CRI	BEAM	LEDs	Carton QTY
SEC03S	SECURITY FLOOD LED 15W S/ADJ WH with sensor	4000K	1100lm	15W	>80	120°	28pcs 2835	1/20
SEC04S	SECURITY FLOOD LED 15W S/ADJ BLK with sensor	4000K	1100lm	15W	>80	120°	28pcs 2835	1/20