



GENERAL LIGHTING
SPOT LIGHTS

SPOT Spot Lights

- Input voltage: 100-240V AC 50/60Hz
- Housing: powder coated aluminium
- Mounting plate: iron
- 180° Tilt / 328° swivel
- Lamp holder: GU10 (Max.50W)
- Globe not included
- **Globe grabber/ suction cap included**



SPOT-R1B



SPOT-S1B



SPOT-R3B




SPOT-BAR3B




SPOT-BAR2B




SPOT-BAR4B




SPOT-R1B




SPOT-S1B




SPOT-R3B




SPOT-BAR2B




SPOT-BAR3B




SPOT-BAR4B



SPOT-R1W



SPOT-S1W




SPOT-R3W




SPOT-R1W




SPOT-S1W



SPOT-BAR2W



SPOT-BAR3W



SPOT-BAR4W



SPOT-R3W



SPOT-BAR3W



SPOT-BAR2W



SPOT-BAR4W

Part No.	Description	Base	Carton QTY
SPOT-S1B	SPOT GU10 1 LIGHT/ADJ SQ BASE BLK	L81xW81xH25mm	1/50
SPOT-R1B	SPOT GU10 1 LIGHT/ADJ RND BASE BLK	Ø60xH27mm	1/50
SPOT-R3B	SPOT GU10 3 LIGHT/ADJ RND BASE BLK	Ø230xH25mm	1/8
SPOT-BAR2B	SPOT GU10 2 LIGHT/ADJ BAR BLK	L250xW75xH25mm	1/12
SPOT-BAR3B	SPOT GU10 3 LIGHT/ADJ BAR BLK	L450xW75xH25mm	1/8
SPOT-BAR4B	SPOT GU10 4 LIGHT/ADJ BAR BLK	L450xW75xH25mm	1/8
SPOT-S1W	SPOT GU10 1 LIGHT/ADJ SQ BASE WH	L81xW81xH25mm	1/50
SPOT-R1W	SPOT GU10 1 LIGHT/ADJ RND BASE WH	Ø60xH27mm	1/50
SPOT-R3W	SPOT GU10 3 LIGHT/ADJ RND BASE WH	Ø230xH25mm	1/8
SPOT-BAR2W	SPOT GU10 2 LIGHT/ADJ BAR WH	L250xW75xH25mm	1/12
SPOT-BAR3W	SPOT GU10 3 LIGHT/ADJ BAR WH	L450xW75xH25mm	1/8
SPOT-BAR4W	SPOT GU10 4 LIGHT/ADJ BAR WH	L450xW75xH25mm	1/8